

CLI GLOBAL SOCIETY

#CLIFighters

The Critical Limb Ischemia (CLI) Global Society's mission is to improve quality of life by preventing amputations and death due to CLI.

WHAT YOU NEED TO KNOW ABOUT ICD-10-CM CODES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA Effective October 1, 2020



@CLIGlobalSociety



@CLI_Global



CLI Global Society

P: (888) 254-2541 | info@CLIGlobalSociety.org | CLIGlobalSociety.org

ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

- ▶ What's new? The CDC formally codified Critical Limb Ischemia/Chronic Limb-Threatening Ischemia as equivalent terms for 144 existing diagnosis codes.
- ▶ This means there are no newly created codes for CLI/CLTI, but there are 144 codes that can now be unambiguously and exclusively assigned for CLI/CLTI.
- ▶ All changes are found within category I70, Atherosclerosis, as shown in this excerpt:

170 Atherosclerosis	
170.2 Atherosclerosis of native arteries of the extremities	
170.22 Atherosclerosis of native arteries of the extremities with rest pain	
Add	Includes: chronic limb-threatening ischemia NOS of native arteries of extremities
Add	chronic limb-threatening ischemia of native arteries of extremities with rest pain
Add	critical limb ischemia NOS of native arteries of extremities
Add	critical limb ischemia of native arteries of extremities with rest pain
170.23 Atherosclerosis of native arteries of right leg with ulceration	
Add	Includes: chronic limb-threatening ischemia of native arteries of right leg with ulceration
Add	critical limb ischemia of native arteries of right leg with ulceration
170.24 Atherosclerosis of native arteries of left leg with ulceration	
Add	Includes: chronic limb-threatening ischemia of native arteries of left leg with ulceration
Add	critical limb ischemia of native arteries of left leg with ulceration
170.26 Atherosclerosis of native arteries of extremities with gangrene	
Add	Includes: chronic limb-threatening ischemia of native arteries of extremities with gangrene
Add	critical limb ischemia of native arteries of extremities with gangrene

➡ These are code headings. To see the ICD-10-CM codes for CLI/CLTI in context, go to pages 2-13. ⬅

- ▶ The specific diagnosis code assigned depends on documentation of three factors:

- | | |
|--|---|
| <p>1 type of vessel:</p> <ul style="list-style-type: none"> ✓ native artery ✓ bypass graft, unspecified ✓ bypass graft, autologous vein ✓ bypass graft, nonautologous biological ✓ bypass graft, nonbiological ✓ bypass graft, other | <p>2 manifestation:</p> <ul style="list-style-type: none"> ✓ rest pain ✓ ulceration ✓ gangrene <p>3 location:</p> <ul style="list-style-type: none"> ✓ right leg ✓ left leg ✓ additional sites for ulceration |
|--|---|

- ▶ EHRs now recognize the terms "critical limb ischemia" and "chronic limb-threatening ischemia" when keyed in and will present code choices based on the three factors.

Note: ICD-10-CM does not recognize the abbreviations CLI and CLTI, key in full term.

The above applies across all places of service, including office, outpatient clinic, nursing facility, and hospital inpatient.



@CLIGlobalSociety



@CLI_Global



CLI Global Society

ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

I70 Atherosclerosis



I70.2 Atherosclerosis of native arteries of the extremities

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.20 Unspecified atherosclerosis of native arteries of extremities

I70.21 Atherosclerosis of native arteries of extremities with intermittent claudication



I70.22 Atherosclerosis of native arteries of extremities with **rest pain**

Includes: any condition classifiable to I70.21-
chronic limb-threatening ischemia NOS of native arteries of extremities
chronic limb-threatening ischemia of native arteries of extremities with rest pain
critical limb ischemia NOS of native arteries of extremities
critical limb ischemia of native arteries of extremities with rest pain

I70.221 Atherosclerosis of native arteries of extremities with rest pain, right leg

I70.222 Atherosclerosis of native arteries of extremities with rest pain, left leg

I70.223 Atherosclerosis of native arteries of extremities with rest pain, bilateral legs

I70.228 Atherosclerosis of native arteries of extremities with rest pain, other extremity

I70.229 Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity



I70.23 Atherosclerosis of native arteries of right leg with **ulceration**

Includes: any condition classifiable to I70.211 and I70.221
chronic limb-threatening ischemia of native arteries of right leg with ulceration
critical limb ischemia of native arteries of right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.231 Atherosclerosis of native arteries of right leg with ulceration of thigh

I70.232 Atherosclerosis of native arteries of right leg with ulceration of calf

I70.233 Atherosclerosis of native arteries of right leg with ulceration of ankle

I70.234 Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot
Atherosclerosis of native arteries of right leg with ulceration of plantar surface of midfoot

I70.235 Atherosclerosis of native arteries of right leg with ulceration of other part of foot
Atherosclerosis of native arteries of right leg extremities with ulceration of toe

I70.238 Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg

I70.239 Atherosclerosis of native arteries of right leg with ulceration of unspecified site



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ I70.24 Atherosclerosis of native arteries of left leg with **ulceration**

Includes: any condition classifiable to I70.212 and I70.222
chronic limb-threatening ischemia of native arteries of left leg with ulceration
critical limb ischemia of native arteries of left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.241 Atherosclerosis of native arteries of left leg with ulceration of thigh

I70.242 Atherosclerosis of native arteries of left leg with ulceration of calf

I70.243 Atherosclerosis of native arteries of left leg with ulceration of ankle

I70.244 Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot
Atherosclerosis of native arteries of left leg with ulceration of plantar surface of midfoot

I70.245 Atherosclerosis of native arteries of left leg with ulceration of other part of foot
Atherosclerosis of native arteries of left leg extremities with ulceration of toe

I70.248 Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg

I70.249 Atherosclerosis of native arteries of left leg with ulceration of unspecified site

I70.25 Atherosclerosis of native arteries of other extremities with ulceration

→ I70.26 Atherosclerosis of native arteries of extremities with **gangrene**

Includes: any condition classifiable to I70.21-, I70.22-, I70.23-, I70.24-, and I70.25-
chronic limb-threatening ischemia of native arteries of extremities with gangrene
critical limb ischemia of native arteries of extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

I70.261 Atherosclerosis of native arteries of extremities with gangrene, right leg

I70.262 Atherosclerosis of native arteries of extremities with gangrene, left leg

I70.263 Atherosclerosis of native arteries of extremities with gangrene, bilateral legs

I70.268 Atherosclerosis of native arteries of extremities with gangrene, other extremity

I70.269 Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity

I70.29 Other atherosclerosis of native arteries of extremities



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA Effective October 1, 2020

▶ I70.3 Atherosclerosis of unspecified type of bypass graft(s) of the extremities

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.30 Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities

I70.31 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication

→ I70.32 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain

Includes any condition classifiable to I70.31-
chronic limb-threatening ischemia NOS of unspecified type of bypass graft(s) of the extremities
chronic limb-threatening ischemia of unspecified type of bypass graft(s) of the extremities with rest pain, right leg
critical limb ischemia NOS of unspecified type of bypass graft(s) of the extremities
critical limb ischemia of unspecified type of bypass graft(s) of the extremities with rest pain

I70.321 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg

I70.322 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg

I70.323 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs

I70.328 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity

I70.329 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity

→ I70.33 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration

Includes any condition classifiable to I70.311 and I70.321
chronic limb-threatening ischemia of unspecified type of bypass graft(s) of the right leg with ulceration
critical limb ischemia of unspecified type of bypass graft(s) of the right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.331 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh

I70.332 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf

I70.333 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle

I70.334 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot
 Atherosclerosis of unspecified type of bypass graft(s) of right leg with ulceration of plantar surface of midfoot

I70.335 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot
 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of toe

I70.338 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg

I70.339 Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ **170.34 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration**

Includes: any condition classifiable to I70.312 and I70.322
chronic limb-threatening ischemia of unspecified type of bypass graft(s) of the left leg with ulceration
critical limb ischemia of unspecified type of bypass graft(s) of the left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

170.341 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh

170.342 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf

170.343 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle

170.344 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot
Atherosclerosis of unspecified type of bypass graft(s) of left leg with ulceration of plantar surface of midfoot

170.345 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot
Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of toe

170.348 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg

170.349 Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site

170.35 Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration

→ **170.36 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene**

Includes: any condition classifiable to I70.31-, I70.32-, I70.33-, I70.34-, I70.35
chronic limb-threatening ischemia of unspecified type of bypass graft(s) of the extremities with gangrene
critical limb ischemia of unspecified type of bypass graft(s) of the extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

170.361 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg

170.362 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg

170.363 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs

170.368 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity

170.369 Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity

170.39 Other atherosclerosis of unspecified type of bypass graft(s) of the extremities



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

➤ **I70.4 Atherosclerosis of autologous vein bypass graft(s) of the extremities**

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.40 Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities

I70.41 Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication

➔ **I70.42 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain**

Includes: any condition classifiable to I70.41-
chronic limb-threatening ischemia NOS of autologous vein bypass graft(s) of the extremities
chronic limb-threatening ischemia of autologous vein bypass graft(s) of the extremities with rest pain
critical limb ischemia NOS of autologous vein bypass graft(s) of the extremities
critical limb ischemia of autologous vein bypass graft(s) of the extremities with rest pain

I70.421 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg

I70.422 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg

I70.423 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs

I70.428 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity

I70.429 Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity

➔ **I70.43 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration**

Includes: any condition classifiable to I70.411 and I70.421
chronic limb-threatening ischemia of autologous vein bypass graft(s) of the right leg with ulceration
critical limb ischemia of autologous vein bypass graft(s) of the right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.431 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh

I70.432 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf

I70.433 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle

I70.434 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot

Atherosclerosis of autologous vein bypass graft(s) of right leg with ulceration of plantar surface of midfoot

I70.435 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot

Atherosclerosis of autologous vein bypass graft(s) of right leg with ulceration of toe

I70.438 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg

I70.439 Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site

ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ I70.44 Atherosclerosis of autologous vein bypass graft(s) of the left leg with **ulceration**

Includes: any condition classifiable to I70.412 and I70.422
chronic limb-threatening ischemia of autologous vein bypass graft(s) of the left leg with ulceration
critical limb ischemia of autologous vein bypass graft(s) of the left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.441 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh

I70.442 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf

I70.443 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle

I70.444 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot

Atherosclerosis of autologous vein bypass graft(s) of left leg with ulceration of plantar surface of midfoot

I70.445 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot

Atherosclerosis of autologous vein bypass graft(s) of left leg with ulceration of toe

I70.448 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg

I70.449 Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site

I70.45 Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration

→ I70.46 Atherosclerosis of autologous vein bypass graft(s) of the extremities with **gangrene**

Includes: any condition classifiable to I70.41-, I70.42-, and I70.43-, I70.44-, I70.45
chronic limb-threatening ischemia of autologous vein bypass graft(s) of the extremities with gangrene
critical limb ischemia of autologous vein bypass graft(s) of the extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

I70.461 Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg

I70.462 Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg

I70.463 Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs

I70.468 Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity

I70.469 Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity

I70.49 Other atherosclerosis of autologous vein bypass graft(s) of the extremities

ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

➤ **170.5 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities**

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.50 Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities

I70.51 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities intermittent claudication

➔ **170.52 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain**

Includes: any condition classifiable to I70.51-
chronic limb-threatening ischemia NOS of nonautologous biological bypass graft(s) of the extremities
chronic limb-threatening ischemia of nonautologous biological bypass graft(s) of the extremities with rest pain
critical limb ischemia NOS of nonautologous biological bypass graft(s) of the extremities
critical limb ischemia of nonautologous biological bypass graft(s) of the extremities with rest pain

I70.521 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg

I70.522 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg

I70.523 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs

I70.528 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity

I70.529 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity

➔ **170.53 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration**

Includes: any condition classifiable to I70.511 and I70.521
chronic limb-threatening ischemia of nonautologous biological bypass graft(s) of the right leg with ulceration
critical limb ischemia of nonautologous biological bypass graft(s) of the right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.531 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh

I70.532 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf

I70.533 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle

I70.534 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot
Atherosclerosis of nonautologous biological bypass graft(s) of right leg with ulceration of plantar surface of midfoot

I70.535 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot
Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of toe

I70.538 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg

I70.539 Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ **I70.54 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration**

Includes: any condition classifiable to I70.512 and I70.522
chronic limb-threatening ischemia of nonautologous biological bypass graft(s) of the left leg with ulceration
critical limb ischemia of nonautologous biological bypass graft(s) of the left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.541 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh

I70.542 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf

I70.543 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle

I70.544 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot
Atherosclerosis of nonautologous biological bypass graft(s) of left leg with ulceration of plantar surface of midfoot

I70.545 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot
Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of toe

I70.548 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg

I70.549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site

I70.55 Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration

→ **I70.56 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene**

Includes: any condition classifiable to I70.51-, I70.52-, and I70.53-, I70.54-, I70.55
chronic limb-threatening ischemia of nonautologous biological bypass graft(s) of the extremities with gangrene
critical limb ischemia of nonautologous biological bypass graft(s) of the extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

I70.561 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg

I70.562 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg

I70.563 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs

I70.568 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity

I70.569 Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity

I70.59 Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

▶ I70.6 Atherosclerosis of nonbiological bypass graft(s) of the extremities

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.60 Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities

I70.61 Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication

→ I70.62 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain

Includes any condition classifiable to I70.61-

chronic limb-threatening ischemia NOS of nonbiological bypass graft(s) of the extremities

chronic limb-threatening ischemia of nonbiological bypass graft(s) of the extremities with rest pain

critical limb ischemia NOS of nonbiological bypass graft(s) of the extremities

critical limb ischemia of nonbiological bypass graft(s) of the extremities with rest pain

I70.621 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg

I70.622 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg

I70.623 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs

I70.628 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity

I70.629 Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity

→ I70.63 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration

Includes any condition classifiable to I70.611 and I70.621

chronic limb-threatening ischemia of nonbiological bypass graft(s) of the right leg with ulceration

critical limb ischemia of nonbiological bypass graft(s) of the right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.631 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh

I70.632 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf

I70.633 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle

I70.634 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot

Atherosclerosis of nonbiological bypass graft(s) of right leg with ulceration of plantar surface of midfoot

I70.635 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot

Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of toe

I70.638 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg

I70.639 Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ I70.64 Atherosclerosis of nonbiological bypass graft(s) of the left leg with **ulceration**

Includes: any condition classifiable to I70.612 and I70.622
chronic limb-threatening ischemia of nonbiological bypass graft(s) of the left leg with ulceration
critical limb ischemia of nonbiological bypass graft(s) of the left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.641 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh

I70.642 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf

I70.643 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle

I70.644 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot

Atherosclerosis of nonbiological bypass graft(s) of left leg with ulceration of plantar surface of midfoot

I70.645 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot

Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of toe

I70.648 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg

I70.649 Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site

I70.65 Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration

→ I70.66 Atherosclerosis of nonbiological bypass graft(s) of the extremities with **gangrene**

Includes: any condition classifiable to I70.61-, I70.62-, I70.63-, I70.64-, I70.65
chronic limb-threatening ischemia of nonbiological bypass graft(s) of the extremities with gangrene
critical limb ischemia of nonbiological bypass graft(s) of the extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

I70.661 Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg

I70.662 Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg

I70.663 Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs

I70.668 Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity

I70.669 Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity

I70.69 Other atherosclerosis of nonbiological bypass graft(s) of the extremities

ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

➤ I70.7 Atherosclerosis of other type of bypass graft(s) of the extremities

Use additional code, if applicable, to identify chronic total occlusion of artery of extremity (I70.92)

I70.70 Unspecified atherosclerosis of other type of bypass graft(s) of the extremities

I70.71 Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication

➔ I70.72 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain

Includes: any condition classifiable to I70.71-
chronic limb-threatening ischemia NOS of other type of bypass graft(s) of the extremities
chronic limb-threatening ischemia of other type of bypass graft(s) of the extremities with rest pain
critical limb ischemia NOS of other type of bypass graft(s) of the extremities
critical limb ischemia of other type of bypass graft(s) of the extremities with rest pain

I70.721 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg

I70.722 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg

I70.723 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs

I70.728 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity

I70.729 Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity

➔ I70.73 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration

Includes: any condition classifiable to I70.711 and I70.721
chronic limb-threatening ischemia of other type of bypass graft(s) of the right leg with ulceration
critical limb ischemia of other type of bypass graft(s) of the right leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.731 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh

I70.732 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf

I70.733 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle

I70.734 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot
Atherosclerosis of other type of bypass graft(s) of right leg with ulceration of plantar surface of midfoot

I70.735 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot
Atherosclerosis of other type of bypass graft(s) of right leg with ulceration of toe

I70.738 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg

I70.739 Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site



ICD-10-CM CODE CHANGES FOR CRITICAL LIMB ISCHEMIA/CHRONIC LIMB-THREATENING ISCHEMIA

Effective October 1, 2020

→ I70.74 Atherosclerosis of other type of bypass graft(s) of the left leg with **ulceration**

Includes: any condition classifiable to I70.712 and I70.722
chronic limb-threatening ischemia of other type of bypass graft(s) of the left leg with ulceration
critical limb ischemia of other type of bypass graft(s) of the left leg with ulceration

Use additional code to identify severity of ulcer (L97.-)

I70.741 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh

I70.742 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf

I70.743 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle

I70.744 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot

Atherosclerosis of other type of bypass graft(s) of left leg with ulceration of plantar surface of midfoot

I70.745 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot

Atherosclerosis of other type of bypass graft(s) of left leg with ulceration of toe

I70.748 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg

I70.749 Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site

I70.75 Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration

→ I70.76 Atherosclerosis of other type of bypass graft(s) of the extremities with **gangrene**

Includes: any condition classifiable to I70.71-, I70.72-, I70.73-, I70.74-, I70.75
chronic limb-threatening ischemia of other type of bypass graft(s) of the extremities with gangrene
critical limb ischemia of other type of bypass graft(s) of the extremities with gangrene

Use additional code to identify the severity of any ulcer (L97.-, L98.49-), if applicable

I70.761 Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg

I70.762 Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg

I70.763 Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs

I70.768 Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity

I70.769 Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity

I70.79 Other atherosclerosis of other type of bypass graft(s) of the extremities

